

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-6 (canceled)

Claim 7 (currently amended): A graphical user interface comprising:

- a primary application adapted to be displayed on a device and adapted to receive a print input selection to indicate a print task to be performed associated with the primary application;
- a proxy interface adapted to be displayed on the device when the print input selection is received, wherein the proxy interface comprises settings associated with the print task to be performed; and
- a timeout timer, associated with when the proxy interface is displayed, operable to execute the print task using the settings upon expiration of the timer.

Claim 8 (previously presented): The graphical user interface of claim 7, wherein the timer is visible on the graphical user interface.

Claim 9 (previously presented): The graphical user interface of claim 7, wherein the timer is hidden.

Claim 10 (previously presented): The graphical user interface of claim 7, wherein the settings are default settings for the print task.

Claim 11 (previously presented): The graphical user interface of claim 7, wherein the settings are current settings for the print task.

Claims 12-15 (canceled)

Claim 16 (currently amended): A method of providing a user interface, the method comprising the steps of:

displaying a proxy interface in response to a print input selection received by a primary application interface, wherein the print input selection is associated with a print task to be performed, and wherein the proxy interface comprises settings associated with the print task and the proxy interface is adapted to receive a proxy interface input [[,]] ;
starting a timer when the proxy interface is displayed; and
if the timer expires without the proxy interface receiving a proxy interface input, executing the print task using the settings associated with the print task.

Claim 17 (previously presented): The method of claim 16, the method further comprising the step of:

if the proxy interface input is received prior to the expiration of the timer, providing a user interface adapted to receive one or more changes associated with the settings and to stop the timer.

Claim 18 (previously presented): The method of claim 16, wherein the executing of the print task step further comprises the step of sending the print task to a printer.

Claim 19 (previously presented): The method of claim 16, wherein the proxy interface is presented as a transparent overlay.

Claim 20 (previously presented): The method of claim 16, wherein the proxy interface further comprises a bar.

Claim 21 (previously presented) The method of claim 16, wherein the proxy interface further comprises an interface located on the periphery of the primary application window.

Claim 22 (previously presented): The method of claim 16, wherein the primary application is adapted to receive primary application input while the proxy interface is displayed.

Claim 23 (previously presented): The method of claim 16 wherein the primary application is a document-creating application.

Claim 24 (previously presented): The method of claim 16 wherein the proxy interface is closed when the timer expires.

Claim 25 (previously presented): The method of claim 17, wherein the provided user interface is part of the proxy interface.

Claim 26 (previously presented): The method of claim 17 further comprising the step of restarting the timer.

Claim 27 (currently amended): A device adapted to present a graphical user interface, the graphical user interface comprising:

- a proxy interface displayed in response to a print input selection received by a primary application interface, wherein the print input selection is associated with a print task to be performed, and wherein the proxy interface comprises settings associated with the print task and the proxy interface is adapted to receive a proxy interface input; and
- a timer adapted to start ~~[[the]]~~ when the proxy interface is displayed, wherein if ~~the~~ if the timer expires without the proxy interface receiving the proxy interface input, executing the print task using the settings associated with the print task.

Claim 28 (previously presented): The device of claim 27, wherein the primary application interface is a document-creating application.

Claim 29 (previously presented): The device of claim 27, wherein the proxy interface is adapted to receive one or more changes associated with the settings and to stop the timer.

Claim 30 (previously presented): The device of claim 27, wherein the primary application is adapted to receive primary application input while the proxy interface is displayed.